



BELI SLASER

I p l H a i r R e m o v a l M a c h i

H a i r r e m o v a l M a c h i n e s ,
C r y o l i p o l y s i s C a v i t a t i o n H I F a t M e d U M S t i g m M a c h i n e
m u s c l e ,

BELISLASER

> > >

Nd - YAG

CO2

IPL, E-light,

Cofepris



I p l S h r

: B L - 3 0 5



I P L

!

	S H R
	1 0 - 5 0 J / c m ²
P o w e r	2 , 4 0 0 W
	5 5 0 , 0 0 0
	1 - 5
	1 - 2 0 m s
	1 - 2 0 m s
	1 5 m m × 5 0 m m 1 2 m m × 3 0 m m
	8 . 4 " L C D
	+
	- 4 ° C ~ + 4 ° C
(W × D × H)	5 6 × 7 0 × 5 1 c m
	4 0 k g

Ipl Shr +

: BL - 305A



RF

SHR / IPL

	, SHR SHR
RF	3 RF
	480nm, 530nm, 640nm(), 560nm/590nm/690nm()
	10~50J/cm ²
Power	2,400 W
	550,000
	1~10
	1~20ms
	1~20ms
	15mm×50mm 12×30mm
	8.4" LCD
	+
	-4°C ~ +4°C
(W×D×H)	77 × 58 × 68cm
	42kg

Ipl Shr

: BL - 305B



IPL

Nd: YAG

	Q Nd: IPL OPT SHR
IPL SHR	1 - 50J / m ³
IPL	1 - 50J / m ³
	480nm, 530nm, 640nm(); 560nm/590nm/690nm()
	0 - - - 7
	12 × 30mm ² 15 × 50mm ²
	AC 220V ± 10% 50Hz (AC110V ± 10% 60Hz)
	480mm × 430mm × 830mm (L × W × H)
	32kg
IPL SHR	
	1064nm, 532nm, 1320nm

Ipl Shr Nd Yag

Rf

: BL - 303



. OPT SHR, IPL, RF Nd:

!

	6 ()
	+ +
	3000W
	230VAC 50Hz / 110VAC 50Hz 60Hz
	80kg
(x x)	65cm x 60cm x 126cm
OPT SHR	
	1640nm/690nm
	1 - 10ms
	1 - 10 p/s
	1 - 99
	1 - 50J/cm ²
E-light IPL	
	IPL: 1 - 50J/cm ² , RF: 1 - 50J/cm ²
	20 x 60mm ²
	1 - 10ms, 0.1ms
	1 - 100ms, 1ms
	1 - 10
	2 - 4s
	480nm, 530nm, 560nm, 590nm, 640/690nm

RF

	RF
	20 mm / 28 mm / 35 mm
	1064 nm, 532 nm, 1320 nm
	1 - 6 mm
	1000 J
	1 - 10 Hz



Belis laser

38,000,000 VND

